

# Amid

Nace con la idea de separar y generar distintos ambientes en un mismo espacio a través de la luz, como si de un biombo se tratara, creando una atmósfera acogedora e intimista que se presta al diálogo. El halo de luz es cálido y delicado, perfecto para este tipo de entornos. Está fabricada en materiales para exterior como la pantalla que es de una tela especial anti-UVA, o el pie texturado con un tratamiento para su protección, que nos facilitan que podamos usarla tanto para exterior como para interior. La encontramos en dos tamaños que pueden combinarse entre ellos para generar ritmo.

[Más información en pág. 54](#)



REF: 6717

# Generando ambientes a través de la luz

Diseño / Design: Jordi Jané Variantes: Lacado negro mate  
Variations: Matt black lacquering (RAL 9005)

# Amid

## Creating atmosphere with light

It was born with the idea of separating and generating different environments in the same space with the use of light, as if it were a screen, creating a cozy and intimate atmosphere, conducive to dialogue. The halo of light is warm and delicate, ideal for this type of environment. It is made of materials suitable for outdoors, such as the shade made of special anti-UV fabric, or the textured base with a protective treatment, to make it easier to use both outdoors and indoors. It is available in two sizes that may be combined with each other to generate rhythm.

[More info at page 54](#)




REF: 6717-6718



REF: 6717-6718

# Amid

## Amid 78 F.



610 mm

780 mm

### MLN Amid

#### Technical data



610 x 303 mm | H. 780 mm  
1 x E27 Standard bulb Retrofit LED Code  
2298 12 W  
1100 (x1) lumens | 2.700 K  
Dimmable  
Class I: Basic insulation  
Protection degree against  
dust and water: IP55


#### Code

6717 ●

#### Finishes

Matt black (RAL 9005)

## Amid 106 F.



802 mm

1.060 mm

#### Technical data



802 x 368 mm | H. 1.060 mm  
1 x E27 Standard bulb Retrofit LED Code  
2298 12 W  
1100 (x1) lumens | 2.700 K  
Dimmable  
Class I: Basic insulation  
Protection degree against  
dust and water: IP55

#### Code

6718 ●

#### Finishes

Matt black (RAL 9005)

#### Properties

Translucent decorative lampshade by means of a handcrafted cinning system, in polyscreen anti-UVA resistant to outdoor conditions. Central lampshade in 25 cm diameter acid-satin opal triplex blown glass. Base for glass diffuser screen support in machined steel. Matte white lacquer finish (RAL9016) with zinc plating treatment for protection in outdoor conditions. Screen fixing arms in matt black lacquer (RAL 9005) with cataphoresis treatment for protection in outdoor conditions. Electrical cord length: 3 meters.











