


NEXIA KARDAN

Recessed Downlight multisystem for one to four elements with LED luminaire in aluminum. Available in GU10.






02311 -						
	Colour	CRI / Temp.	Angle	Led	Dimming	Class
	0 White 1 Black 2 Grey	H 927 E 930 F 940	2 20° 4 40° 6 60°	0 760 lm / 6 W 1 1030 lm / 9 W	R Edge Cut D Dali	II
965 g 9	0x90 mm 45°	IP CRI=	=90 3-SDCM	40.000 h 230 V DRIVER	I LED O	

DESCRIPTION

KARDAN is a system that allows the combination of different types of LED COB lights with the same aesthetics. These lights are integrated into aluminum multisystem, trimless or with frame, and may consist of one or four elements.

INSTALLATION

Square embeding 90 x 90 mm.












NEXIA KARDAN_S

Recessed Downlight multisystem for one to four elements with LED luminaire in aluminum. Available in GU10.






02312 -					
Colour	CRI / Temp.	Angle	Led	Dimming	Class
0 White 1 Black 2 Grey	H 927 E 930 F 940	2 20° 4 40° 6 60°	0 2 x 760 lm / 6 W 1 2 x 1030 lm / 9 W	R Edge Cut D Dali	II
1635 g 190x90 mm 45°	1 20 CRI=	=90 3-SDCM	40.000 h 230 V DRIVER	LED O	

DESCRIPTION

KARDAN is a system that allows the combination of different types of LED COB lights with the same aesthetics. These lights are integrated into aluminum multisystem, trimless or with frame, and may consist of one or four elements.

INSTALLATION

Square embeding 190x90mm.




— c0 - 180 — c90 - 270





















NEXIA Kardan_s

Recessed Downlight multisystem for one to four elements with LED luminaire in aluminum. Available in GU10.






02313 -						
	Colour	CRI / Temp.	Angle	Led	Dimming	Class
	0 White 1 Black 2 Grey	H 927 E 930 F 940	2 20° 4 40° 6 60°	0 3 x 760 lm / 6 W 1 3 x 1030 lm / 9 W	R Edge Cut D Dali	II
2280 g 290	0x90 mm 45°	IP CR	1=90 3-SDCN	40.000 h 230 V DRIVER	LED O	

DESCRIPTION

KARDAN is a system that allows the combination of different types of LED COB lights with the same aesthetics. These lights are integrated into aluminum multisystem, trimless or with frame, and may consist of one or four elements.

INSTALLATION

Square embeding 290x90mm.












Recessed Downlight multisystem for one to four elements with LED luminaire in aluminum. Available in GU10.





0231	4 -					
	Colour	CRI / Temp.	Angle	Led	Dimming	Class
ım	0 White 1 Black 2 Grey	H 927 E 930 F 940	2 20° 4 40° 6 60°	0 4 x 760 lm / 6 W 1 4 x 1030 lm / 9 W	R Edge Cut D Dali	II
2915 g	190v190 mm 45°	IP []	RI=90 3-SD	CM 40.000 h 230 V DRIVE	R LED O	

DESCRIPTION

KARDAN is a system that allows the combination of different types of LED COB lights with the same aesthetics. These lights are integrated into aluminum multisystem, trimless or with frame, and may consist of one or four elements.

INSTALLATION

Square embeding 190x190mm.













