




LINEA 1

LED-Einbaustrahler 2 W, CRI>95, mit hochwertigem Aluminiumreflektor, Driver bitte separat bestellen



LED-recessed downlight 2 W, CRI>95, with high-quality aluminium reflector, please order driver separately




CODE	TYPE	COLOUR	LAMP	LUMEN*	POWER SUPPLY	H
D265	LINEA 1	white	1x2W LED 34° □ 2700K 700mA	180 lm	excl. driver	55 mm
D263	LINEA 1	black	1x2W LED 34° □ 2700K 700mA	180 lm	excl. driver	55 mm
D501	LINEA 1	white	1x2W LED 34° □ 3000K 700mA	190 lm	excl. driver	55 mm
D500	LINEA 1	black	1x2W LED 34° □ 3000K 700mA	190 lm	excl. driver	55 mm

12° Abstrahlwinkel auf Anfrage / 12° beam angle on request


H = Einbautiefe / recessed depth

LINEA 5

LED-Einbaustrahler 10 W, CRI>95, mit hochwertigem Aluminiumreflektor, Driver bitte separat bestellen



LED-recessed downlight 10 W, CRI>95, with high-quality aluminium reflector, please order driver separately




CODE	TYPE	COLOUR	LAMP	LUMEN*	POWER SUPPLY	H
D277	LINEA 5	white	5x2W LED 48° □ 2700K 700mA	5x180 lm	excl. driver	55 mm
D276	LINEA 5	black	5x2W LED 48° □ 2700K 700mA	5x180 lm	excl. driver	55 mm
D533	LINEA 5	white	5x2W LED 48° □ 3000K 700mA	5x190 lm	excl. driver	55 mm
D532	LINEA 5	black	5x2W LED 48° □ 3000K 700mA	5x190 lm	excl. driver	55 mm

12° und 34° Abstrahlwinkel auf Anfrage / 12° and 34° beam angle on request



H = Einbautiefe / recessed depth

LINEA 10

LED-Einbaustrahler 20 W, CRI>95, mit hochwertigem Aluminiumreflektor, Driver bitte separat bestellen



LED-recessed downlight 20 W, CRI>95, with high-quality aluminium reflector, please order driver separately



CODE	TYPE	COLOUR	LAMP	LUMEN*	POWER SUPPLY	H
D272	LINEA 10	white	10x2W LED 48° □ 2700K 700mA	10x180 lm	excl. driver	55 mm
D271	LINEA 10	black	10x2W LED 48° □ 2700K 700mA	10x180 lm	excl. driver	55 mm
D354	LINEA 10	white	10x2W LED 48° □ 3000K 700mA	10x190 lm	excl. driver	55 mm
D353	LINEA 10	black	10x2W LED 48° □ 3000K 700mA	10x190 lm	excl. driver	55 mm

12° und 34° Abstrahlwinkel auf Anfrage / 12° and 34° beam angle on request

H = Einbautiefe / recessed depth

Driver siehe Seite 195 ff. / Driver see page 195 ff.