


KENT

LED-Strahler 35 W mit hoch-effizientem Aluminiumreflektor, Gehäuse aus Aluminiumdruckguß, mit eingebautem Driver und 3-Phasen-Universaladapter, CRI > 90

LED-spotlight 35 W with high output aluminium reflector, made of die-cast aluminium, with built-in driver and 3-phase universal adapter, CRI > 90




CODE	TYPE	COLOUR	LAMP	POWER SUPPLY
D731	KENT	white	1x35W LED 15° □ 3000K	incl. driver
D732	KENT	white	1x35W LED 26° □ 3000K	incl. driver
D729	KENT	white	1x35W LED 38° □ 3000K	incl. driver
D733	KENT	black	1x35W LED 15° □ 3000K	incl. driver
D734	KENT	black	1x35W LED 26° □ 3000K	incl. driver
D730	KENT	black	1x35W LED 38° □ 3000K	incl. driver
D741	KENT	white	1x35W LED 15° □ 4000K	incl. driver
D742	KENT	white	1x35W LED 26° □ 4000K	incl. driver
D743	KENT	white	1x35W LED 38° □ 4000K	incl. driver
D744	KENT	black	1x35W LED 15° □ 4000K	incl. driver
D745	KENT	black	1x35W LED 26° □ 4000K	incl. driver
D746	KENT	black	1x35W LED 38° □ 4000K	incl. driver

ACCESSORIES




Blendschutzkappen für KENT
Antiglare shade for KENT

CODE	TYPE	max. LxWxH (60°)	COLOUR
D140	ANTI GLARE SHADE	200x200x80 mm	black




Snoot für KENT
Snoot for KENT

CODE	TYPE	LxØ	COLOUR
D141	SNOOT	-	black



Wabenraster für KENT
Honey comb louvre for KENT

CODE	TYPE	LxØ	COLOUR
D142	HONEY COMB LOUVRE	-	black



Filter für KENT
Filter for KENT

CODE	TYPE	LxØ	COLOUR
D165	LINEAR DIFFUSION	-	-
D166	PRISMATIC DIFFUSION	-	-



filtereffect linear diffusion: 15°, 26°, 38°

filtereffect prismatic diffusion: 15°, 26°, 38°



Foto: Martin Steinhäler





Projekt: Badstudio Leoben / Foto: Odörfer

KENT S

LED-Strahler 15 W dimmbar mit hocheffizientem Aluminiumreflektor, Gehäuse aus Aluminiumdruckguß, mit eingebautem Driver, dimmbar mit Phasenanschnitt-/Phasenabschrittdimmer, 3-Phasen-Universaladapter, CRI > 90

LED-spotlight 15 W dimmable with high output aluminium reflector, made of die-cast aluminium, with built-in driver, dimmable with phase control/phase cutting, and 3-phase universal adapter, CRI > 90




dim

CODE	TYPE	COLOUR	LAMP	POWER SUPPLY
D960	KENT S	white	1x15W LED 10° □ 3000K	incl. driver phase dim
D961	KENT S	white	1x15W LED 18° □ 3000K	incl. driver phase dim
D962	KENT S	white	1x15W LED 30° □ 3000K	incl. driver phase dim
D963	KENT S	white	1x15W LED 38° □ 3000K	incl. driver phase dim
D964	KENT S	black	1x15W LED 10° □ 3000K	incl. driver phase dim
D965	KENT S	black	1x15W LED 18° □ 3000K	incl. driver phase dim
D966	KENT S	black	1x15W LED 30° □ 3000K	incl. driver phase dim
D967	KENT S	black	1x15W LED 38° □ 3000K	incl. driver phase dim


LED in 2700 K und 4000 K auf Anfrage / 2700 K and 4000 K LED on request

ACCESSORIES



Snoot für KENT S
Snoot for KENT S

CODE	TYPE	LxØ	COLOUR
D144	SNOOT	-	black




Wabenraster für KENT S
Honey comb louvre for KENT S

CODE	TYPE	LxØ	COLOUR
D145	HONEY COMB LOUVRE	-	black




KENT BAKERY KENT MEAT

LED-Strahler 32 W mit spezieller Lichtfarbe für Bäckerei- und Fleischwaren, hocheffizientem Aluminiumreflektor, Gehäuse aus Aluminiumdruckguß, mit eingebautem Driver und 3-Phasen-Universaladapter



LED-spotlight 32 W with special luminous colours for bakery and meat products, high output aluminium reflector, made of die-cast aluminium, with built-in driver and 3-phase universal adapter




CODE	TYPE	COLOUR	LAMP	POWER SUPPLY
D735	KENT BAKERY	white	1x32W LED 15° □ 2500K	incl. driver
D736	KENT BAKERY	white	1x32W LED 26° □ 2500K	incl. driver
D737	KENT BAKERY	white	1x32W LED 38° □ 2500K	incl. driver
D738	KENT BAKERY	black	1x32W LED 15° □ 2500K	incl. driver
D739	KENT BAKERY	black	1x32W LED 26° □ 2500K	incl. driver
D740	KENT BAKERY	black	1x32W LED 38° □ 2500K	incl. driver
D765	KENT MEAT	white	1x32W LED 15° □ 1750K	incl. driver
D766	KENT MEAT	white	1x32W LED 26° □ 1750K	incl. driver
D767	KENT MEAT	white	1x32W LED 38° □ 1750K	incl. driver
D768	KENT MEAT	black	1x32W LED 15° □ 1750K	incl. driver
D769	KENT MEAT	black	1x32W LED 26° □ 1750K	incl. driver
D770	KENT MEAT	black	1x32W LED 38° □ 1750K	incl. driver


Zubehör siehe Seite 60 / accessories see page 60

SINO BAKERY SINO MEAT

LED-Einbaustrahler 32 W mit spezieller Lichtfarbe für Bäckerei- und Fleischwaren, hocheffizientem Aluminiumreflektor, aus massivem Aluminium, Driver bitte separat bestellen (siehe Seite 156 ff.)



LED-recessed downlight 32 W with special luminous colours for bakery and meat products, high output aluminium reflector, made of aluminium, please order driver separately (see page 156 ff.)



CODE	TYPE	COLOUR	LAMP	POWER SUPPLY	H
D709	SINO BAKERY	white	1x32W LED 38° □ 2500K 1050 mA	excl. driver	180 mm
D710	SINO MEAT	white	1x32W LED 38° □ 1750K 1050 mA	excl. driver	180 mm

H = Einbautiefe / recessed depth

LED-Strahler mit spezieller Lichtfarbe für Bäckerei- und Fleischwaren
LED-spotlight with special luminous colours for bakery and meat products



KENT BAKERY / SINO BAKERY



KENT MEAT / SINO MEAT